

The Board of Pharmacy has received notice of the following product recall:

OHM has initiated this recall in response to an identified variance to established process which represents that these lots were not manufactured under Current Good Manufacturing Practices (CGMP). Although the affected drug product meets all testing specifications, recalls due to non compliance with CGMP reflect manufacturing processes that are not adequately controlled by a firm.

Sun Pharmaceutical Industries Inc. initiated shipment of this product on May 24, 2019.

This product recall is for the products identified in the table.

<b>Product Name</b>	<b>Package Description</b>	<b>Lot Number</b>	<b>NDCNumber</b>	<b>Expiration Date</b>
Doxycycline Capsules, USP, 100 mg	50 Count	3983720	63304-616-50	10/2020
Doxycycline Capsules, USP, 100 mg	50 Count	3990461	63304-616-50	11/2020
Doxycycline Capsules, USP, 100 mg	50 Count	3990464	63304-616-50	11/2020
Doxycycline Capsules, USP, 100 mg	50 Count	3990465	63304-616-50	11/2020
Doxycycline Capsules, USP, 100 mg	50 Count	3990466	63304-616-50	11/2020
Doxycycline Capsules, USP, 100 mg	50 Count	3990470	63304-616-50	11/2020
Doxycycline Capsules, USP, 75 mg	100 Count	AA39490	63304-615-01	03/2021
Doxycycline Capsules, USP, 100 mg	50 Count	AA42499	63304-616-50	04/2021
Doxycycline Capsules, USP, 100 mg	50 Count	AA42510	63304-616-50	04/2021
Doxycycline Capsules, USP, 100 mg	50 Count	AA44468	63304-616-50	04/2021
Doxycycline Capsules, USP, 100 mg	50 Count	AA44470	63304-616-50	04/2021
Doxycycline Capsules, USP, 100 mg	50 Count	AA55073	63304-616-50	05/2021

<b>Product Name</b>	<b>Package Description</b>	<b>Lot Number</b>	<b>NDCNumber</b>	<b>Expiration Date</b>
Doxycycline Capsules, USP, 100 mg	50 Count	AA55074	63304-616-50	05/2021
Doxycycline Capsules, USP, 100 mg	50 Count	AA55075	63304-616-50	05/2021
Doxycycline Capsules, USP, 100 mg	50 Count	AA61486	63304-616-50	06/2021

The Board of Pharmacy strongly encourages pharmacies to immediately review their quality assurance and recall policies and procedures to determine if any corrective action is required.